

UNCLASSIFIED

AD NUMBER
AD265967
NEW LIMITATION CHANGE
TO Approved for public release, distribution unlimited
FROM Distribution authorized to U.S. Gov't. agencies and their contractors; Administrative/Operational use; 19 Oct 1961. Other requests shall be referred to Army Medical Research Lab, Fort Knox KY.
AUTHORITY
USAMRL ltr 13 Oct 1969

THIS PAGE IS UNCLASSIFIED

UNCLASSIFIED

AD 265 967

Best Available Copy

*Reproduced
by the*

ARMED SERVICES TECHNICAL INFORMATION AGENCY
ARLINGTON HALL STATION
ARLINGTON 12, VIRGINIA



20030707026

UNCLASSIFIED

DISCLAIMER NOTICE

**THIS DOCUMENT IS BEST QUALITY
PRACTICABLE. THE COPY FURNISHED
TO DTIC CONTAINED A SIGNIFICANT
NUMBER OF PAGES WHICH DO NOT
REPRODUCE LEGIBLY.**

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

4507 0742311

CATALOGED BY ASTIA 265967

265967

NO OTS

US ARMY MEDICAL RESEARCH LABORATORY

FORT KNOX, KENTUCKY

REPORT NO. 509

HEMODYNAMICS OF THE STOMACH

III. EFFECTS OF SALMONELLA TYPHOSA ENDOTOXIN ON THE RESISTANCE TO BLOOD FLOW

E. S. Dooley, Ph. D.

J. B. Scott, M. S.

Capt E. D. Frohlich, MC

Capt E. D. Jacobson, MC

Studies of Physiological Effects of Cold on Man
Task 01

Environmental Medicine

USAMIL Project No. 6X64-12-001

UNITED STATES ARMY
MEDICAL RESEARCH AND DEVELOPMENT COMMAND



UNITED STATES ARMY

MEDICAL RESEARCH AND DEVELOPMENT COMMAND 19 October 1962

NO OTS

XEROX

Report Submitted 5 September 1961

Authors

Elmo S. Dooley, Ph. D.	Chief, Microbiology Branch Environmental Medicine Division
Jerry B. Scott, M.S.	Circulation Branch Environmental Medicine Division
Capt Edward D. Frohlich, MC (M.D.)	Chief, Circulation Branch Environmental Medicine Division
Capt Eugene D. Jacobson, MC (M. D.)	Acting Director Environmental Medicine Division

Technical Assistants

Sp 5 Albert Malanche	Circulation Branch Environmental Medicine Division
Sp 4 James E. McGuire	Circulation Branch Environmental Medicine Division
Pfc Miguel Ramirez (B. S.)	Circulation Branch Environmental Medicine Division
Pfc Carl C. Hicks (B. S.)	Microbiology Branch Environmental Medicine Division

Qualified requestors may obtain copies of this report from ASTIA.

Foreign announcement and dissemination of this report by ASTIA is limited.

REPORT NO. 509

HEMODYNAMICS OF THE STOMACH
III. EFFECTS OF SALMONELLA TYPHOSA ENDOTOXIN ON THE
RESISTANCE TO BLOOD FLOW

by

E. S. Dooley, Ph. D.
J. B. Scott, M.S.
Capt E. D. Frohlich, MC
Capt E. D. Jacobson, MC

from

Environmental Medicine Division
US ARMY MEDICAL RESEARCH LABORATORY
FORT KNOX, KENTUCKY

Studies of Physiological Effects of Cold on Man
Task 01
Environmental Medicine
TSAMRL Project No. 6X64-12-001

Report No. 509

USAMRL Project No. 6X64-12-001-01

ABSTRACT

HEMODYNAMICS OF THE STOMACH III. EFFECTS OF SALMONELLA TYPHOSA ENDOTOXIN ON THE RESISTANCE TO BLOOD FLOW

OBJECT

This study was designed to determine the response of the gastric vascular bed to the local administration of the endotoxin of Salmonella typhosa 0901.

RESULTS

The injection of endotoxin into the left gastric artery of 10 dogs produced a rapid average increase in gastric arterial pressure (100%) and coronary venous pressure (200%). Arterial pressure remained elevated for 30 minutes, but venous pressure returned to control in 15 minutes. Systemic arterial pressure fell an average of 20% in 10 minutes. Locally infused phentolamine blocked the responses of the gastric artery and coronary vein without affecting systemic pressure.

In a second series of animals whose systemic and gastric circulations were completely separated, endotoxin administered into either the gastric or systemic circulation failed to produce rapid increases in gastric vascular resistance.

CONCLUSIONS

These studies indicate that the left gastric arterial and coronary venous pressure increases induced by endotoxin in the intact animal are probably mediated in large part by systemic release of catecholamines.

RECOMMENDATIONS

None.

APPROVED: Eugene D. Jacobson
EUGENE D. JACOBSON
Captain, MC
Acting Director, Environmental
Medicine Division

APPROVED: Floyd A. Odell
FLOYD A. ODELL, Ph. D.
Technical Director of Research

APPROVED: Sven A. Bach
SVEN A. BACH
Colonel, MC
Commanding

HEMODYNAMICS OF THE STOMACH

III. EFFECTS OF SALMONELLA TYPHOSA ENDOTOXIN ON THE RESISTANCE TO BLOOD FLOW

I. INTRODUCTION

Endotoxin is responsible for many profound vascular effects including venous pooling, changes in resistance to blood flow in many organs, and circulatory collapse leading to death. Most prominent among the many early vascular effects of endotoxin is the rapid development of hepatic and intestinal congestion (1, 2). The apparent cause of this pooling of blood in these organs is venous constriction in the liver. With time hepatic engorgement subsides, but pooling of blood in the intestine continues, suggesting some persistent effects of endotoxin on the blood vessels of the gut (2).

The gastric circulation, like the intestinal, is in direct continuity with the portal vein and might be expected to exhibit responses similar to those of the gut vasculature. This investigation is concerned with the response of the gastric vascular bed to the local administration of the endotoxin of Salmonella typhosa 0901.

II. METHODS

Twenty-five mongrel dogs of both sexes weighing eight to 20 Kg. were subjects of acute studies. The animals were anesthetized with pentobarbital sodium (35 mg. per Kg.) and anticoagulated with heparin sodium (5 mg. per Kg.). Artificial respiration was administered by a tracheal cannula when required. The stomach and its main blood vessels were exposed by a left subcostal incision. Splenectomy was routinely performed and the stomach was ligated at both ends. Under these conditions the vagi were probably not functioning.

Following ligation of the hepatic and splenic arteries near their origins, the right gastric and right gastroepiploic arteries and veins, and the multiple branches of the left gastroepiploic artery and vein which enter and leave the greater curvature were ligated. Blood was perfused through the left gastric artery of the stomach by a pressure-independent, variable flow pump (Sigmamotor Pump, Model T-65) interposed between the right femoral artery and the celiac axis.

Needles were inserted into the coronary vein of the stomach, the perfusion tubing proximal to the left gastric artery, and the left common

carotid artery and connected to a strain guage for recording of blood pressures (Sanborn Twin-Viso, Model 60).

Salmonella typhosa 0901 endotoxin (0.6 mg. per Kg. Bacto Lipopolysaccharide, Difco Laboratories) was injected in one bolus directly into the perfusion system just proximal to the left gastric artery.

Blood flow through the gastric artery was fixed at a given rate for each experiment. Flow varied from 24 to 48 ml. per minute.

Single Circulation. Pressures were recorded from five minutes before to 30 minutes after injecting endotoxin in ten dogs. In three additional animals this experiment was repeated, but a phentolamine infusion in doses which did not alter systemic arterial pressure (0.5 to 3.0 µg. per minute) was administered into the gastric artery throughout the experiments. In three other animals no endotoxin was administered and the results obtained for 30 minutes in these dogs served as control records. In these latter three control animals the systemic arterial pressure was lowered by exsanguination to the same degree as observed with endotoxin and the effect on the gastric arterial pressure was measured.

Dual Circulations. In nine other animals venous drainage from the stomach was collected in a reservoir connected to a pump-oxygenator (Kay-Cross disc oxygenator, Pemco Inc.) before being returned to the left gastric artery. This constituted a closed circuit gastric circulation. Endotoxin was injected into the perfusion system as outlined above in three of these nine dogs and injected into a systemic vein in another three animals of this group. No endotoxin was given to the remaining three dogs which served as controls. Recordings were obtained in these nine dogs for the subsequent 30 minutes. The isolation of the gastric circuit was checked by two methods: the volume of blood collected from the coronary vein was compared with the volume perfused through the gastric artery, and India ink was injected into the perfusate to determine whether leakage of ink was occurring beyond the confines of the stomach. These procedures showed that the stomach circulation was isolated from the systemic.

III. RESULTS

Single Circulation. The injection of endotoxin into the gastric artery of ten dogs caused a rise in coronary venous pressures followed within two minutes by an increase in left gastric artery pressures and a decrease in left common carotid artery pressures. Peak venous

pressures were achieved at about five minutes after injection and averaged over 200 per cent of control. Venous pressures then returned to pre-injection levels over the next 15 minutes. Left gastric artery pressures continued to climb to maximum values for ten minutes beyond injection and then decreased, but were still nearly twice control values at 30 minutes. The pressure gradient across the gastric vascular bed showed a mean increase at ten minutes of 107 per cent and at 30 minutes was 89 per cent above the pre-injection value. These values were significant ($p = <.001$) when compared with pressure gradient changes obtained in the three control animals using the Student t -test (3). Systemic pressures reached a nadir at ten minutes after injection of endotoxin when an average value of 24 per cent below the pre-injection level was recorded. Subsequently, pressure in the carotid artery returned to a mean value of 13 per cent below initial pressure at 30 minutes after injection. These results appear in Fig. 1.




Fig. 1. Average pressures from ten dogs in whom endotoxin was injected into the left gastric artery (arrow). Gastric and systemic circulations were in continuity. Per cent change from initial values is noted at various times.

In the three animals in whose perfusion system a phentolamine infusion was maintained after injection of endotoxin, the gastric arterial pressure increased only 18 per cent over the pre-injection value. Venous pressure rose only 30 per cent in these dogs. The results from these animals are shown in Table I.

In the three control animals the mean gastric artery pressure varied by no more than 13 per cent above or below initial pressure over a period of 30 minutes. The coronary vein and systemic arterial pressures displayed correspondingly small fluctuations. These results are shown in Table I.

Lowering systemic blood pressure 20 per cent by bleeding had no effect on gastric artery pressure in the three control animals.

Dual Circulations. In the nine animals in whom the circulation of the stomach was separated from the systemic circulation and maintained with a pump-oxygenator, the venous pressure was atmospheric throughout. In the three dogs of this group in whom no endotoxin was administered, there was a progressive rise in mean left gastric artery pressure of 63 per cent over 30 minutes, while systemic arterial pressure varied by no more than 15 per cent above or below control. The results from these three control animals used to show the effect of time on gastric artery pressure are seen in Table II.

In the three dogs of this group in whom endotoxin was injected into the gastric circulation and did not reach the systemic circulation, there was no increase in perfusion pressure. At 30 minutes gastric arterial pressure was the same as at the time of injection and was significantly lower than that found in the three control dogs with separate circulations ($p = < .02$). Systemic pressure fluctuations were the same as in the control animals. These results are shown in Table II.

In the three dogs with dual circulations in whom endotoxin was injected into the systemic circulation, pressures at 30 minutes were not significantly different from the dual circulation control animals. These results are shown in Table II.

The effect of endotoxin on gastric vascular resistance was calculated for the six series of experiments: control, endotoxin, and endotoxin with phentolamine in the animals with a single circulation, and control, endotoxin in the gastric artery and endotoxin in the systemic vein in the dogs with two separate circulations. It can be seen (Fig. 2a)

TABLE 1. PRESSURE CHANGES IN THE LEFT GASTRIC ARTERY, THE CORONARY VEIN AND LEFT COMMON CAROTID ARTERY IN 3 CONTROL ANIMALS AND 3 ANIMALS GIVEN 2,000 TOXIN WHILE PHENTOLAMINE WAS INFUSED. THE GASTRIC CIRCULATION WAS IN CONTINUITY WITH THE SYSTEMIC IN BOTH SERIES.

Dog No.	Flow (ml./min.)	Min.	CONTROL Pressure (mm. Hg)																					
			0	5	10	15	20	25	30	0	5	10	15	20	25	30	0	5	10	15	20	25	30	
11	41	125	142	140	140	146	152	156	15	20	22	22	23	23	19	144	163	160	160	160	156	154		
12	34	140	150	120	124	125	117	124	15	17	17	18	17	16	16	132	136	144	144	144	132	136		
13	34	145	140	126	110	120	110	128	17	16	16	16	20	22	23	144	148	138	144	144	144	140		
Mean	36	135	139	129	125	131	129	136	16	18	18	18	19	20	19	140	148	147	149	149	144	143		
PHENTOLAMINE AND ENDOTOXIN																								
14	35	128	142	140	124	108	116	120	12	18	18	9	7	5	5	126	116	104	100	98	92	94		
15	28	85	85	108	132	140	150		8	12	10	15	10	10		124	126	120	120	112	112			
16	41	160	144	176	184	152			19	23	23	15	17			136	118	138	130	108				
Mean	35	125	127	141	147	133	135	120	16	21	17	11	11	8	5	129	119	121	117	106	102	94		

TABLE II. PRESSURE CHANGES IN THE LEFT GASTRIC ARTERY IN 3 SERIES OF EXPERIMENTS IN WHICH THE GASTRIC CIRCULATION WAS ISOLATED FROM AND INDEPENDENT OF SYSTEMIC CIRCULATION. CORONARY VENOUS PRESSURE WAS ATMOSPHERIC.

Dog No.	Fios (mm./min.)	Min.	CONTROL					Left Gastric Artery Pressure (mm.Hg)	25	30
			0	5	10	15	20			
17	41	246	280	320	344	354	364	424		
18	41	226	208	204	312	340	346	332		
19	42	208	220	280	288	304	328	336		
Mean	41	227	289	295	315	336	353	371		
EMOOTOXIN IN THE GASTRIC CIRCULATION										
20	27	160	152	164	180	176	174	180		
21	31	264	264	264	272	272	272	272		
22	42	336	304	308	312	304	308	304		
Mean	33	253	240	245	255	251	251	252		
EMOOTOXIN IN THE SYSTEMIC CIRCULATION										
23	25	180	216	240	260	262	272	276		
24	26	104	128	134	136	148	184	180		
25	27	256	264	264	272	280	280	264		
Mean	26	180	200	209	222	230	238	249		


that endotoxin induces a persistent increase in gastric vascular resistance which is blocked by phentolamine infused into the gastric artery. In the animals with separate circulations (Fig. 2b) endotoxin injected into the gastric circulation prevented the rising resistance observed in the control dogs, while endotoxin in the systemic circulation induced no significant change from control.

IV. DISCUSSION


Endotoxin when injected directly into the left gastric artery and allowed to circulate systemically produced a prolonged increase in gastric vascular resistance. This effect was abolished by phentolamine. When the gastric circulation was isolated from the systemic and endotoxin injected into the systemic circulation there was no change from control. When endotoxin was injected into the separate gastric circulation the resistance increase, which had been noted in the three control animals, did not occur. These studies suggest that endotoxin produces an active increase in the gastric vascular resistance in the dog by an indirect mechanism. This increase is produced, at least in part, by a remote release of catecholamines into the blood. It also appears that the direct effect of endotoxin on the isolated gastric circulation is a prevention of the increase in gastric vascular resistance observed in the control dogs with dual circulations. In the animal with a single circulation, however, the indirect mechanism predominates.

Several factors might have been responsible for the increase resistance to blood flow in the stomach of the single circulation animals induced by endotoxin. The rise in venous pressure, presumably due to hepatic venous congestion, might have actively elevated resistance in the stomach. Endotoxin when administered into the left gastric artery might have acted directly on the gastric vasculature or have liberated a vasoactive chemical mediator locally; or it might have acted indirectly upon a distant site by nervous or chemical means.

It appears unlikely from these studies that the elevation of venous pressure in the stomach could have had more than a minor role in raising gastric arterial pressure. Peak coronary vein pressures were reached long before arterial pressures were maximal, and pressures in the left gastric artery remained twice control long after restoration of venous pressures to control values. The veno-arteriolar reflex, as described in other beds (4, 5), exerts a nearly immediate effect rather than the sequence observed here. In preliminary investigations in this laboratory a three-fold rise in coronary venous pressure was not accompanied by



a



b

Fig. 2. Changes in gastric vascular resistance in the six series of experiments. Figure a compares resistance changes in the single circulation experiments in the control dogs with changes induced by endotoxin and by endotoxin and phentolamine. Figure b compares resistance changes in the dual circulation experiments in the control series with the groups given endotoxin either in the gastric artery or systemic vein. N signifies the number of subjects, Q represents the mean flow for the series (ml. per min.) and the arrow indicates endotoxin injection.

increases in gastric arterial pressures which were of the magnitude observed after injecting endotoxin.

When endotoxin was injected into the isolated gastric circulation, resistance remained unchanged for the subsequent 30 minutes. In the control animals with two circulations resistance increased 63 per cent in 30 minutes (Fig. 2b). This suggests that the local action of endotoxin in the gastric vascular bed is dilatation.

The increase in gastric vascular resistance must be secondary to a distant mechanism of endotoxin. This inference is confirmed by the three experiments with locally infused phentolamine and the studies with separate circulations in which endotoxin was excluded from the stomach circuit. Phentolamine was infused into the left gastric artery in amounts which did not affect systemic arterial pressure. The failure of endotoxin to elevate pressure significantly in the gastric artery, where phentolamine concentration was high, suggests that circulating catecholamines or the sympathetic nervous system was responsible for the increases in gastric artery pressure due to endotoxin.

In the three double circulation experiments in which endotoxin was injected systemically and presumably neither endotoxin nor any substances it elaborated could have reached the gastric circulation, gastric arterial pressures were not significantly different from the control animals with two circulations (Fig. 2b). This suggests that endotoxin acts to raise gastric vascular resistance in the intact animal through local vasoconstriction mediated primarily by circulating substances. The sympathetic nervous system is of little importance locally in this preparation.

The mild early systemic hypotension induced by endotoxin was not responsible for the gastric vascular resistance changes. When comparable degrees of hypotension were induced by exsanguination, left gastric artery pressure did not change.

The nature of the mechanism whereby endotoxin elaborates vasoactive substances is not evident from these studies.

V. SUMMARY

The effects of endotoxin on the gastric vascular bed of the dog were investigated using an acute preparation in which flow was kept constant and pressure allowed to fluctuate freely. Both gastric artery and coronary venous pressures exhibited marked rapid increases in response to S. typhosa endotoxin administered into the left gastric artery in ten dogs.

Arterial pressure doubled and venous pressure increased by about 200 mm. Hg within five to ten minutes after endotoxin injection. Arterial pressure remained elevated for 30 minutes, but venous pressure returned to normal in 15 minutes. Simultaneously, systemic pressure fell 20 per cent in ten minutes and only partly recovered by 30 minutes. The responses of the gastric artery and coronary vein were blocked by local infused phentolamine.

In a second series of animals whose systemic and gastric circulations were completely separated, endotoxin administered into the gastric circulation prevented the resistance increase observed in control animals and in animals with endotoxin administered in the systemic circulation. The response of the gastric vasculature to endotoxin noted in the intact animals was not observed in the dogs with separate gastric and systemic circulations in whom endotoxin had been administered in either circulation.

These studies indicate that the left gastric arterial and coronary venous pressure increases induced by endotoxin in the intact animal are mediated by increased levels of circulating catecholamines.

VI. REFERENCES

1. MacLean, L. D. and Weil, M. H. Hypotension in dogs produced by E. coli endotoxin. *Circulation Res* 1956, 4, 546.
2. MacLean, L. D., Weil, M. H., Spink, W. W., and Visscher, M. D. Canine intestinal and liver weight changes induced by E. coli endotoxin. *Proc. Soc. Exp. Biol. (N. Y.)* 1956, 92, 602.
3. Tate, M. W. *Statistics in Education*. New York, The Macmillan Company, 1955, p. 454-466.
4. Yamada, S. and Burton, A. C. Effects of reduced tissue pressure on blood flow of the finger; the veni-vasomotor reflex. *J. Appl. Physiol.* 1954, 6, 501.
5. Haddy, F. J. and Gilbert, R. P. The relation of a venous arteriolar reflex to transmural pressure and resistance in small and large systemic vessels. *Circulation Res.* 1956, 4, 25.

DISTRIBUTION LIST OF USAMRL REPORTS
Project No. 6X64-12-001 Environmental Physiology
AGENCY - DEFENSE

No. of
Copies

- 10 Armed Services Technical Information Agency, Arlington Hall Sta, Arlington Hall, Virginia
AGENCY - US ARMY
- 1 Aberdeen Proving Ground, Director, US Army Ordnance Human Engineering Laboratories,
Aberdeen Proving Ground, Maryland
- 1 Adjutant General, Department of the Army, Washington 25, D. C., Attn: AGTL
- 1 Armed Forces Institute of Pathology, 6825 16th Street, N.W., Washington 25, D. C.
- 6 Army Attache, Box 79, Navy 100, Fleet Post Office, New York, New York, Attn: Col John
C. Cressler, Asst. Army Attache
- 1 Brooke Army Medical Center, Physical Medicine Branch, Hqs., AMSS, Fort Sam Houston, Texas,
Attn: Capt. Rachel Adams
- 1 Brooke Army Medical Center, Commandant, Army Medical Service School, Fort Sam Houston,
Texas, Attn: Publications Branch
- 1 Brooke General Hospital, Medical Library, Box 151, Fort Sam Houston, Texas
- 1 Brooke General Hospital, Radioisotope Clinic, Brooke Army Medical Center, Fort Sam Houston
Texas
- 1 Chief Chemical Officer, Department of the Army, Washington 25, D. C. Attn: OCCCAL0/SA
- 1 Chief of Engineers, Department of the Army, Washington 25, D. C., Attn: ENGRD-SE
- 1 Chief of Ordnance, CHJTB, Washington 25, D. C., Attn: Res & Spec. Proj. Section
- 1 Chief of Life Sciences Division, Office of Chief Research and Development, Room 3D-442,
The Pentagon, Washington 25, D. C.
- 1 Chief Psychiatry and Neurology Consultant, Directorate of Professional Service, Office
of The Surgeon General, Department of the Army, Washington 25, D. C. Attn: MEDPD-NP
- 3 Commanding General, US Army Medical Research and Development Command, Main Navy Building,
Washington 25, D. C.
- 1 Commanding General, 1 Corps Group, APO 358, San Francisco, California, Attn: Surgeon
- 1 Commanding General, 7th Logistical Command, APO 612, San Francisco, California, Attn:
Surgeon
- 1 Commanding General, Eighth United States Army, APO 301, San Francisco, California,
Attn: Surgeon
- 1 Commanding General, US Army, Hawaii, APO 957, San Francisco, California, Attn: Surgeon
- 1 Commanding General, US Army, Japan, APO 343, San Francisco, California, Attn: Surgeon
- 1 Commanding General, US Army, Ryukyu Islands/IX Corps, APO 331, San Francisco, California,
Attn: Surgeon
- 1 Commander in Chief, US Army, Pacific, APO 958, San Francisco, California, Attn: Surgeon
- 1 Fitzsimons General Hospital, Medical Technical Library, Denver 30, Colorado
- 1 Fitzsimons General Hospital, US Army Medical Research and Nutrition Laboratory, Denver
30, Colorado
- 1 Letterman General Hospital, Medical Library, Presidio, San Francisco, California
- 1 Madigan General Hospital, Medical Technical Library, Tacoma, Washington
- 1 Picatinny Arsenal, Commanding Officer, Dover, New Jersey, Attn: ORLBB-VS3
- 1 Quartermaster Food and Container Institute, Library Branch, 1819 West Pershing Road,
Chicago 9, Illinois
- 1 Quartermaster Research and Engineer Field Evaluation Agency, Commanding Officer, Fort
Lee, Virginia, Attn: Technical Library
- 1 Quartermaster Research and Engineering Center, Commanding General, Natick, Massachusetts,
Attn: Technical Library
- 1 Redstone Arsenal, Commander, Redstone Arsenal, Alabama, Attn: ORDOW-HI
- 1 Valley Forge Army Hospital, Commanding Officer, Phoenixville, Pennsylvania, Attn:
Librarian
- 1 US Army, Alaska, APO 949, Seattle Washington, Attn: Chief Surgeon
- 2 US Army Chemical Center, Director of Medical Research, Army Chemical Center, Maryland

No. of
Copies

US ARMY - CONTINUED

- 1 US Army Chemical Corps Biological Laboratories, Fort Detrick, Maryland. Attn: Librarian
- 1 US Army Chemical Research and Development Laboratories, Commanding Officer, Technical Library, Building 330, Army Chemical Center, Maryland. Attn: Librarian
- 1 US Army Command and General Staff College, Library Services Branch (Archives) Fort Leavenworth, Kansas
- 1 US Army Dispensary, Springfield Armory, Springfield, Massachusetts
- 1 US Army Engineer Research and Development Laboratories, Fort Belvoir, Virginia. Attn: Technical Documents Center
- 1 US Army Environmental Hygiene Agency, Commanding Officer, Army Chemical Center, Maryland
- 4 US Army Europe, Medical Division Plans and Operations Branch, APO 403, New York, N. Y.
- 1 US Army Europe, Medical Laboratory, Department of Microbiology, APO 180, US Forces, New York, New York
- 1 US Army Hospital, Commanding Officer, Fort Lee, Virginia. Attn: Medical Library
- 1 US Army Infantry Human Research Unit, Director of Research, Post Office, Box 2086, Fort Benning, Georgia. Attn: Library
- 1 US Army Leadership, Human Research Unit, Library, Post Office Box 787, Presidio of Monterey, California
- 1 US Army Medical Command, Japan, Medical General Laboratory, (406) APO 343, San Francisco, California. Attn: Colonel Carl F. Tessmer, Commanding
- 2 US Army Medical Liaison Branch, Office of the Chief Surgeon, Gorgas Hospital, Balboa Heights, Canal Zone
- 1 US Army Medical Research Unit, Europe, Commanding Officer, APO 180, New York, New York
- 1 US Army Medical Research Unit, Commanding Officer, Panama Field, Fort Clayton, Canal Zone
- 1 US Army Medical Research Unit, Commanding Officer, Fort Detrick, Maryland
- 1 US Army Medical Research Unit, Commanding Officer, Institute for Medical Research, Kuala Lumpur, Malaya
- 1 US Army Ordnance Arsenal, Frankford, Philadelphia 37, Pennsylvania. Attn: CRDEA-1734/65-1, Mr. A. Charles Karr
- 1 US Army Ordnance Tank-Automotive Command, Detroit Arsenal, Center Line, Michigan
- 1 US Army Research Office, Chief of Research and Development, Department of the Army, Washington 25, D. C.; Attn: Scientific Information Branch
- 1 US Army Signal Research and Development Laboratory, Office of the Commanding Officer, Fort Monmouth, New Jersey. Attn: SIGFM/ADT-E
- 1 US Army Standardization Group, Canada, Senior US Army Standardization Representative, c/o US Army Attache, US Embassy, Ottawa, Ontario, Canada. Attn: Colonel Joseph R. Blair, MC, Medical Liaison Officer
- 1 US Army Transportation Research Command, Fort Eustis, Virginia. Attn: Research Reference Center
- 1 US Army Tropical Research Medical Laboratory, APO 851, New York, New York
- 1 US Continental Army Command, Medical Section, Fort Monroe, Virginia
- 1 Walter Reed Army Institute of Research, Department of Atomic Casualties Studies, Walter Reed Army Medical Research Center, Washington 12, D. C.
- 3 Walter Reed Army Institute of Research, Director, Walter Reed Army Medical Center, Washington 12, D. C.
- 1 Walter Reed Army Hospital, Army Audiology and Speech Center, Forest Glen Section, Washington, D. C.
- 1 Walter Reed Army Medical Center, US Army Medical Service, Historical Unit, Washington 12, D. C.; Attn: General Reference and Research Branch
- 1 Walter Reed Army Medical Center, US Army Prosthetics Research Laboratory, Commanding Officer, Washington 12, D. C.

AGENCY - US NAVY

- 2 Bureau of Medicine and Surgery, Director, Research Division, Department of the Navy, Washington 25, D. C.

US NAVY - CONTINUED

No. of
Copies

- 2 Bureau of Naval Weapons (DLI-31) Department of the Navy, Washington 25, D. C.
- 2 Bureau of Yards and Docks, Department of the Navy, Washington 25, D. C.. Attn: Code D-440
- 2 Bureau of Yards and Docks, Department of the Navy, Washington 25, D. C.. Attn: Code D-440
- 1 Chief of Naval Air Technical Training, US Naval Air Station, Memphis 75, Tennessee, Attn: Staff Medical Officer
- 1 Chief of Naval Operations Office, Operations Evaluation Group, (OpOEG) Department of The Navy, Washington 25, D. C.
- 1 Chief of Naval Air Reserve Training, Staff Medical Officer, US Naval Air Station, Glenview, Illinois
- 1 Naval Air Material Center, Director, Air Crew Equipment Laboratory, Philadelphia 12, Pennsylvania
- 1 Naval Medical Research Institute, National Naval Medical Center, Technical Reference Library, Bethesda 14, Maryland
- 1 Naval Medical Research Laboratory, Technical Library, Code 5111, Box 100, Naval Submarine Base, Groton, Connecticut
- 1 Naval Research, Code 454, Department of the Navy, Washington 25, D. C.
- 1 Naval Research, Code 408, Special Assistant for Medical and Allied Sciences, Department of the Navy, Washington 25, D. C.
- 10 Naval Research Branch Office, Commanding Officer, Navy 100, Box 39, Fleet Post Office, New York, New York
- 1 US Naval Air Development Center, Simulation Branch, AIL, Johnsville, Pennsylvania, Attn: Dr. W. A. Bradley
- 1 US Naval Air Development Center, Aviation Medical Acceleration Laboratory, Johnsville, Pennsylvania, Attn: Librarian
- 1 US Naval Civil Engineering Laboratory, Commanding Officer and Director (Code L31) Port Huene, California
- 1 US Naval Medical Neuropsychiatric Research Unit, San Diego 52, California
- 2 US Naval Missile Center, Commander, Point Mugu, California, Attn: Technical Library
- 1 US Naval Medical Field Research Laboratory, Commanding Officer, Camp Lejeune, North Carolina, Attn: Librarian
- 1 US Naval Medical School, Commanding Officer, National Naval Medical Center, Bethesda, Maryland
- 1 US Naval Ordnance Test Station, Medical Officer (Code 88) Station Hospital 1, China Lake, California
- 1 US Naval Radiological Defense Laboratory, Commanding Officer and Director (222), San Francisco 24, California
- 1 US Naval Research Laboratory (Code 5120) Washington 25, D. C.
- 1 US Naval Research Laboratory (Code 2027) Director, Washington 25, D. C.
- 2 US Naval School of Aviation Medicine, Director, US Naval Aviation Medical Center - 54, Pensacola, Florida
- 1 US Naval Supply Research and Development Facility, Clothing and Textile Division, 3rd Avenue and 29th Street, Brooklyn 32, New York, Attn: Library
- 1 US Naval Weapons Plant, Experimental Diving Unit, Washington 25, D. C.

AGENCY - AIR FORCE

- 1 Air Force Flight Test Center, Human Factors Branch (FTFHH), Edwards Air Force Base, California
- AIR RESEARCH AND DEVELOPMENT COMMAND
- 1 Air Research and Development Command, (RDGEL) Andrews Air Force Base, Washington 25, D. C.
- 2 Wright Air Development Division, Bio-Acoustics Branch, Wright-Patterson Air Force Base, Ohio, Attn: WVRDA
- 1 Wright Air Development Division, US Air Force, Wright-Patterson Air Force Base, Ohio, Attn: WVRDAS (Library)

No. of
Copies

AIR FORCE - CONTINUED

- 1 Aerospace Medical Library, Wright Air Development Division (WRDAS) Wright-Patterson Air Force Base, Ohio
- 3 Air Force Command and Control Development Division, Operational Applications Office, (CORH) Laurence G. Hanscom Field, Bedford, Massachusetts
- 1 Air Force Director of Research and Technology, US Air Force, Washington 25, D. C.
Attn: AFDRH-HF
- 1 Air Training Command (ATCSG-P) Randolph Air Force Base, Texas
- 2 Arctic Aeromedical Laboratory, Commander, APO 731, Seattle, Washington, Attn: Library
- 1 Assistant for Ground Safety, DCS/P, Headquarters, US Air Force, Washington 25, D. C.
- 2 Brooks Air Force School of Aviation Medicine, (SAMSH-P), Brooks Air Force Base, Texas
- 3 Langley Research Center, National Aeronautics and Space Administration, Langley Field, Virginia, Attn: Librarian
- 1 US Air Force Aerospace Medical Center, (ATC) US Air Force Hospital, Lackland Air Force Base, Texas
- 7 US Army Air Defense Command, Command Surgeon, Dht Air Force Base, Colorado Springs, Colorado
- 1 US Air Force Strategic Air Command, Offutt Air Force Base, Nebraska

GOVERNMENTAL - AGENCIES

- 1 Argonne National Laboratory, 9700 South Cass Avenue, Argonne, Illinois, Attn: Hoylande D. Young
- 1 Central Intelligence Agency, 2430 E. Street, N.W., Washington D. C., Attn: 1331 R and S Building
- 1 Chief Defense Atomic Support Agency, Washington 25, D. C. Attn: Document Library Br
- 1 Civil Aeromedical Research Institute, Federal Aviation Agency, Post Office Box 1082 Oklahoma City, Oklahoma
- 1 Library of Congress, Science and Technology Division, Washington 25, D. C., Attn: Dr. A. J. Jacobius
- 1 National Institute of Health, Library, Building 10, Room 3N118, Bethesda 14, Maryland, Attn: Acquisitions Section
- 1 National Library of Medicine, Washington 25, D. C., Attn: Acquisition Section
- 1 National Institutes of Health, Division of Research Grants, Information Office, Bethesda 14, Maryland
- 1 National Research Council, Division of Medical Sciences, Medical Records, 2101 Constitution Avenue, N.W. Washington 25, D. C.

OTHER AGENCIES

- 1 Arctic Health Research Center, Library, Box 968, Anchorage, Alaska
- 2 Aero-Space Division, Chief, Space Medicine Section, Boeing Airplane Company, Seattle 24, Washington, Attn: Dr. Rooney H. Lowry (Box 19-29)
- 1 Boeing Airplane Company, Library, Wichita Division, Wichita 1, Kansas
- 1 Boeing Airplane Company, Central Medical Library, Box 11-40 Post Office Box 3707, Seattle 24, Washington
- 1 Chrysler Corporation, Box 1118, Engineering Research Department 921, Detroit 31, Michigan
Attn: John Versace, Engineering Psychologist
- 1 Division of Radiological Health - BSS Department of Health Education and Welfare, Room 5629, South HEW Building, Washington 25, D. C.
- 1 Ford Motor Company, Technical Information Section, Scientific Laboratory, Post Office Box 2053, Dearborn, Michigan
- 1 General Electric Company, Advanced Electronic Center, Cornell University, Ithaca, New York, Attn: Library
- 1 General Electric Company, Technical Military Planning Operations, 735 State St, Santa Barbara, California
- 1 John Crerar Library, 86 East Randolph Street, Chicago 1, Illinois
- 2 Kings County Hospital, Department of Anesthesiology, Brooklyn, New York, Attn: Dr. S. S. Weitzner

No. of
Copies

OTHER AGENCIES - CONTINUED

- 1 Lenox Hospital, Division of Research, Lancaster and City Line Avenue, Philadelphia 33, Pennsylvania
- 1 Mayo Clinic, Rochester, Minnesota, Attn: Dr. Kenneth W. Ogle, Section of Biophysics
- 1 Mercy Hospital, Anesthesia Research Laboratory, Pittsburgh 19, Pennsylvania
- 7 National Aeronautics and Space Administration, 1520 H. Street, N. W., Washington 25, D. C., Attn: Bertram A. Mulcahy, Assistant Director for Technical Information
- 1 Rand Corporation, 1700 Main Street, Santa Monica, California, Attn: Library
- 1 Space Technology Laboratories, Subcommittee on Noise, 327 South Alvarado Street, Los Angeles 57, California
- 1 Systems Research Center, Lockheed Electronics Company, Post Office Box 37, Red Bank, New Jersey, Attn: Mr. Robert E. Weber
- 1 Yerkes Laboratories of Primate Biology, Incorporated, Orange Park, Florida, Attn: P. J. Riopelle

MEDICAL COLLEGE/SCHOOL LIBRARIES AND DEPARTMENTS

- 1 Albany Medical College Library, New Scotland Avenue, Albany 8, New York
- 1 Bowman Gray, School of Medicine Library, Winston-Salem, North Carolina
- 1 Brown University, Providence 12, Rhode Island, Attn: Professor Lorin A. Riggs
- 1 Brown University, Providence 12, Rhode Island, Attn: Prof. Harold Schlossberg, Consultant
- 1 College of Medical Evangelists, White Memorial Medical Library, 1720 Brooklyn Avenue, Los Angeles 33, California
- 1 College of Medical Evangelists, Vernier Maccliff Memorial Library, Loma Linda, California
- 1 College of Physicians of Philadelphia, Library, 19 South 22nd Street, Philadelphia 3, Pennsylvania
- 1 Columbia University, Department of Psychology, New York 27, New York, Attn: Dr. C. H. Graham
- 1 Columbia University Medical Library, 630 West 168th Street, New York 32, New York
- 1 Cornell University Medical College Library, 1300 York Avenue, New York 21, New York
- 1 Creighton University, Medical-Pharmacy Library, 1401 Davenport, Omaha 2, Nebraska
- 1 Dartmouth College Medical Library, Baker Building, Hanover, New Hampshire
- 1 Emory University, Department of Psychology, Atlanta 22, Georgia, Attn: Dr. Earl A. Alluisi
- 1 Florida State University, Department Psychology, Tallahassee, Florida, Attn: Dr. Wm. W. Dawson
- 2 George Washington University, Human Resources Research Office, P.O. Box 3596, Washington 7, D. C., Attn: Library
- 1 Harvard Medical Library, 25 Shattuck Street, Boston 15, Massachusetts, Attn: Librarian
- 1 Harvard School of Public Health, Department of Epidemiology, 1 Shattuck Street, Boston 15, Massachusetts
- 1 Indiana University, Department of Psychology, Bloomington, Indiana, Attn: Dr. H. C. Davis
- 1 Indiana University Medical Center, School of Medicine Library, 1100 West Michigan Street, Indianapolis 7, Indiana, Attn: Librarian
- 1 Indiana University Medical Center, 1100 West Michigan Street, Indianapolis, Indiana, Attn: Dr. Harris B. Shumacker, Jr., Prof. of Surgery
- 1 Indiana University, Anatomy-Physiology Department, Bloomington, Indiana, Attn: Dr. Sid Robinson
- 1 Jefferson Medical College Library, 1025 Walnut Street, Philadelphia 7, Pennsylvania
- 1 Johns Hopkins University, Welch Medical Library, 1900 E. Monument Street, Baltimore 6, Maryland, Attn: Librarian
- 1 Kansas State University, Department of Psychology, Manhattan, Kansas, Attn: Dr. William Bevan, Chairman
- 1 Marquette University, Medical Dental Library, 560 North 16th Street, Milwaukee 3, Wisconsin, Attn: Librarian
- 1 Medical College of Virginia, Hopkins-McCaw Library, Richmond 19, Virginia, Attn: Librarian

No. of
Copies

MEDICAL COLLEGE/SCHOOL LIBRARIES AND DEPARTMENTS - CONTINUED

- 1 New York Academy of Medicine, Library, 2 East 103rd Street, New York 28, New York
- 1 New York University, College of Engineering, Research Division, 252 Seventh Avenue, New York 1, New York. Attn: Associate Project Director
- 1 New York University Medical Center, Medical Library, 550 First Avenue, New York 18, New York
- 1 Northwestern University, Department of Psychology, Evanston, Illinois. Attn: William A. Hunt
- 1 Northwestern University Medical School, Archibald Church Library, 303 E. Chicago Avenue, Chicago 11, Illinois. Attn: Librarian
- 1 Ohio State University, The Chemical Abstracts Service, Columbus 10, Ohio
- 1 Ohio State University, Research Center, Psycholinguistics Laboratory, 1314 Kinnear Road, Columbus 12, Ohio
- 1 Ohio State University, Topix Library, School of Optometry, 338 East 10th Avenue, Columbus 10, Ohio
- 1 Rush Medical College Library, 1758 West Harrison Street, Chicago 12, Illinois
- 1 Stanford University, Lane Medical Library, 300 Pasteur Road, Palo Alto, California
- 1 Stanford University, Department of Physiology, Stanford, California. Attn: J. W. Crismon, M. D.
- 1 St. Louis University, Medical School Library, 1402 South Grand Blvd., St. Louis 4, Mo.
- 1 State University of Iowa, College of Medicine Library, Medical Laboratories Building, Iowa City, Iowa
- 1 State University of New York, Downstate Medical Center, Department of Anesthesiology, 450 Clarkson Avenue, Brooklyn 3, New York
- 1 State University of New York, Downstate Medical Center, Medical Library, 450 Clarkson Avenue, Brooklyn 3, New York. Attn: Librarian
- 1 Texas Medical Center Library, Jesse H. Jones Library Building, Houston 25, Texas
- 1 Tufts University Institute for Applied Experimental Psychology, Medford, Massachusetts
- 1 Tulane University School of Medicine, 1430 Tulane Avenue, New Orleans 12, Louisiana. Attn: Dr. G. E. Purch, Professor of Medicine
- 1 Vanderbilt University School of Medicine, Nashville 5, Tennessee. Attn: Dr. George R. Meneely, Director, Radioisotope Center
- 1 West Virginia University, Medical Center Library, Morgantown, West Virginia
- 1 University of Alabama, 1919 Seventh Avenue South, Birmingham 3, Alabama
- 1 University of Arkansas, Medical Center Library, 4301 West Markham, Little Rock, Arkansas
- 1 University of Buffalo, Health Sciences Library, Buffalo 14, New York. Attn: Librarian
- 1 University of Buffalo, Department of Psychology, Buffalo 14, New York
- 1 University of California Medical Center, Biomedical Library, Los Angeles 24, California
- 1 University of California 1301 South 45th Street, Richmond 4, California. Attn: Civil Defense Research Project
- 1 University of Chicago, U.S. Air Force Radiation Laboratory, 930 58th Street, Chicago 37, Illinois
- 1 University of Cincinnati, Kettering Laboratory, Eden and Bethesda Avenues, Cincinnati 19, Ohio
- 1 University of Florida, College of Medicine, Department of Physiology, Gainesville, Florida. Attn: Dr. Melvin J. Frogly
- 2 University of Illinois, Aeromedical Laboratory, 840 S. Wood Street, Chicago 12, Illinois
- 1 University of Illinois, Training Research Laboratory, Department of Psychology 45 Lincoln Hall, Urbana, Illinois. Attn: Lawrence M. Stolorow
- 1 University of Illinois, Documents Division Library, Urbana, Illinois
- 1 University of Kansas Medical Center, Clendening Medical Library, Kansas City 12, Kansas
- 3 University of Louisville, School of Medicine Library, 101 W. Chestnut Street, Louisville 2, Kentucky
- 1 University of Maryland, Health Sciences Library, Serials Department, 111 South Greene Street, Baltimore 1, Maryland
- 1 University of Michigan, Serials and Documents Section, General Library, Ann Arbor, Michigan

No. of
Copies

MEDICAL COLLEGE/SCHOOL LIBRARIES AND DEPARTMENTS - CONTINUED

- 1 University of Minnesota Library, Serials Division, Minneapolis 14, Minnesota
- 1 University of Missouri, Medical Library, Room W210 Medical Sciences Building, Columbia, Missouri
- 1 University of Nebraska, College of Medicine Library, 42nd and Dewey Avenue, Omaha 5, Nebraska
- 1 University of North Carolina, Division of Health Affairs Library, North Carolina, Memorial Hospital, Chapel Hill, North Carolina
- 1 University of North Carolina, Department of Medicine, Physiology and Environmental Medicine, Chapel Hill, North Carolina, Attn: Dr. Richard L. Dotson
- 1 University of North Carolina, Department of Physiology, School of Medicine, Chapel Hill, North Carolina, Attn: A. T. Miller, Jr.
- 1 University of Oklahoma Medical Center Library, 801 N. E. 13th Street, Oklahoma City 4, Oklahoma
- 1 University of Oregon, Medical School Library, Portland 1, Oregon, Attn: Librarian
- 1 University of Pittsburgh, Folk Library, of The Health Professions, Pittsburgh, Pa
- 1 University of Pittsburgh, Graduate School of Public Health, Pittsburgh 13, Pennsylvania
- 1 University of Rochester, Atomic Energy Project, Technical Report Control Unit, P.O. Box 287, Station 3, Rochester 20, New York
- 1 University of Rochester, School of Dentistry, 260 Crittenden Boulevard, Rochester, New York, Attn: James A. Deheese
- 1 University of Rochester, Strong Memorial Hospital, 260 Crittenden Boulevard, Rochester, New York, Attn: Dr. Herman L. Pearce, Prof. of Surgery
- 3 University of Southern California, School of Medicine Library, 2025 Zonal Avenue, Los Angeles 33, California, Attn: Dr. Vilela Proctor
- 1 University of South Dakota, Medical Library, Vermillion, South Dakota
- 1 University of Tennessee, College of Medicine, Clinical Physiology, Institute of Clinical Investigation, 62 South Dunlap, Memphis 3, Tennessee
- 1 University of Tennessee, Medical Units, Mooney Memorial Library, 62 South Dunlap, Memphis 3 Tennessee, Attn: Librarian
- 1 University of Tennessee, Department of Bacteriology, Knoxville, Tennessee, Attn: Dr. D. Frank Holtman
- 1 University of Tennessee, Department of Microbiology, 856 Madison Avenue, Knoxville, Tennessee, Attn: Dr. Roy C. Horock
- 1 University of Texas, Medical Branch Library, Galveston, Texas, Attn: Librarian
- 1 University of Utah, Medical Library, Salt Lake City 12, Utah
- 1 University of Virginia, Psychological Laboratory, Feakody Hall, Charlottesville, Virginia
- 1 University of Vermont, College of Medicine Library, Burlington, Vermont
- 1 University of Washington, Health Sciences Library, Seattle 5, Washington, Attn: Librarian
- 1 University of Wisconsin, Medical School Library, 531 Bldg. N. Charter St. Madison 6, Wis
- 1 University of Wisconsin, Psychological Abstracts, 600 N. Park Street, Madison 6, Wis

INTERNATIONAL

- 1 British Army Staff Office, Army Medical Liaison Officer, Benjamin Franklin Station, Post Office Box 165, Washington, D. C., Attn: F. P. Ellis, Surgeon Captain, Royal Navy
- 1 British Army Medical Liaison Officer, British Army Staff, British Embassy, Washington 8, D. C., Attn: Colonel Reid
- 10 Canadian Liaison Officer, Office of The Surgeon General, US Army, Room 170M, Main Navy Building, Washington 25, D. C., Attn: D. L. P. Freeman
- 2 Defense Research Medical, Canadian Joint Staff, 2450 Massachusetts Avenue N.W., Washington 8, D. C.
- 1 German Military Attache, German Federal Ministry of Defense, Washington, D. C.
- 1 Instituto de Ciencias Fisiologicas, Av. Gral. Elgueta 1125, Montevideo, Uruguay, Attn: Professor Dr. D. Benatti, Director
- 1 Karolinska Institutet, Department of Histology, Nobels väg 10, Sweden, Attn: Dr. Jan Wernell
- 1 Laboratoire de Pathologie et Dermatologie Generale, 12 Boulevard de la Constitution, Liège, Belgique, Attn: Professeur J. M. Ruy

No. of
Copies

FOREIGN - CONTINUED

- 1 Oxford University, Department of Human Anatomy, South Parks Road, Oxford England. Attn: Dr. A. R. Lind
- 1 Office of The United States Army Attache, American Embassy, The Foreign Services at The United States of America, London, England. Attn: Assistant Army Attache (Medical)
- 1 Royal Society of Medicine Library, 1, Wimpole Street, London W.1., England
- 1 Università Di Pisa, Institute of Physiology, Pisa, Italy. Attn: Professor Giuseppe Moruzzi.
- 2 University of Western Ontario, Department of Biophysics, Medical School, South Street, London, Ontario, Canada. Attn: Dr. Allen C. Burton
- 1 University of Western Ontario, Medical School, Department of Physiology, London, Ontario, Canada. Attn: Professor J. A. F. Stevenson

AD Accession No.

US Army Medical Research Lab. Ft. Knox, KY.
HEMODYNAMICS OF THE STOMACH. III. EFFECTS
OF SALMONELLA TYPHOSEA ENDOTOXIN ON THE
RESISTANCE TO BLOOD FLOW - E. S. Dooley, J. B.
Scott, E. D. Frohlich, and E. D. Jacobson,
w/tech asst of A. Malanche, J. E. McGuire, F.
L. Brown, M. Ramirez and C. C. Hicks

Report No. 509.19 Oct 61, 7 pp & ill. - 2 illus.

2 tables - Project No. 6X64-12-301, Unclassified Report
Injection of endotoxin into the left gastric artery produced a rapid
increase in gastric arterial pressure (100%) and coronary venous pres-
sure (200%). Arterial pressure remained elevated longer than venous
pressure. These responses were blocked by locally infused phenol-
amine. When the gastric circulation was isolated, endotoxin failed
to increase gastric vascular resistance, whether injected directly
into the stomach or systemically. It is concluded that these re-
sponses are probably induced by a distant release of catecholamines.

UNCLASSIFIED
1. Hemodynamics
Circulation
2. Stomach
3. Endotoxin
4. Salmonella
Typhosa

AD Accession No.

US Army Medical Research Lab. Ft. Knox, KY.
HEMODYNAMICS OF THE STOMACH. III. EFFECTS
OF SALMONELLA TYPHOSEA ENDOTOXIN ON THE
RESISTANCE TO BLOOD FLOW - E. S. Dooley, J. B.
Scott, E. D. Frohlich, and E. D. Jacobson,
w/tech asst of A. Malanche, J. E. McGuire, F.
L. Brown, M. Ramirez and C. C. Hicks

Report No. 509.19 Oct 61, 7 pp & ill. - 2 illus.

2 tables - Project No. 6X64-12-001, Unclassified Report
Injection of endotoxin into the left gastric artery produced a rapid
increase in gastric arterial pressure (100%) and coronary venous pres-
sure (200%). Arterial pressure remained elevated longer than venous
pressure. These responses were blocked by locally infused phenol-
amine. When the gastric circulation was isolated, endotoxin failed
to increase gastric vascular resistance, whether injected directly
into the stomach or systemically. It is concluded that these re-
sponses are probably induced by a distant release of catecholamines.

UNCLASSIFIED
1. Hemodynamics
Circulation
2. Stomach
3. Endotoxin
4. Salmonella
Typhosa

AD Accession No.

US Army Medical Research Lab. Ft. Knox, KY.
HEMODYNAMICS OF THE STOMACH. III. EFFECTS
OF SALMONELLA TYPHOSEA ENDOTOXIN ON THE
RESISTANCE TO BLOOD FLOW - E. S. Dooley, J. B.
Scott, E. D. Frohlich, and E. D. Jacobson,
w/tech asst of A. Malanche, J. E. McGuire, F.
L. Brown, M. Ramirez and C. C. Hicks

Report No. 509.19 Oct 61, 7 pp & ill. - 2 illus.

2 tables - Project No. 6X64-12-001, Unclassified Report
Injection of endotoxin into the left gastric artery produced a rapid
increase in gastric arterial pressure (100%) and coronary venous pres-
sure (200%). Arterial pressure remained elevated longer than venous
pressure. These responses were blocked by locally infused phenol-
amine. When the gastric circulation was isolated, endotoxin failed
to increase gastric vascular resistance, whether injected directly
into the stomach or systemically. It is concluded that these re-
sponses are probably induced by a distant release of catecholamines.

UNCLASSIFIED
1. Hemodynamics
Circulation
2. Stomach
3. Endotoxin
4. Salmonella
Typhosa

AD Accession No.

US Army Medical Research Lab. Ft. Knox, KY.
HEMODYNAMICS OF THE STOMACH. III. EFFECTS
OF SALMONELLA TYPHOSEA ENDOTOXIN ON THE
RESISTANCE TO BLOOD FLOW - E. S. Dooley, J. B.
Scott, E. D. Frohlich, and E. D. Jacobson,
w/tech asst of A. Malanche, J. E. McGuire, F.
L. Brown, M. Ramirez and C. C. Hicks

Report No. 509.19 Oct 61, 7 pp & ill. - 2 illus.

2 tables - Project No. 6X64-12-001, Unclassified Report
Injection of endotoxin into the left gastric artery produced a rapid
increase in gastric arterial pressure (100%) and coronary venous pres-
sure (200%). Arterial pressure remained elevated longer than venous
pressure. These responses were blocked by locally infused phenol-
amine. When the gastric circulation was isolated, endotoxin failed
to increase gastric vascular resistance, whether injected directly
into the stomach or systemically. It is concluded that these re-
sponses are probably induced by a distant release of catecholamines.

UNCLASSIFIED
1. Hemodynamics
Circulation
2. Stomach
3. Endotoxin
4. Salmonella
Typhosa